

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

10/8/2010

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|---|----------|------|------|----|--------------------------|
| Energy Plus Clad Casement Rectangular Units (3/4" IG) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.26 | 0.45 | 56 | X |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL< 1") ² | 0.30 | 0.24 | 0.41 | 56 | X |
| Insul--LE SPF/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.25 | 0.44 | 56 | X |
| Insul--LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL< 1") ² | 0.30 | 0.23 | 0.40 | 56 | X |
| Insul--Climate Control LE/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.24 | 0.44 | 56 | X |
| Insul--Climate Control LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.22 | 0.40 | 56 | X |
| Insul--Climate Control LE SPF/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.24 | 0.43 | 56 | X |
| Insul--Climate Control LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.22 | 0.39 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.19 | 0.35 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.17 | 0.31 | 56 | X |
| Insul--Super Sunblocker LE SPF/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.18 | 0.34 | 56 | X |
| Insul--Super Sunblocker LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.17 | 0.31 | 56 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled ¹ | 0.30 | 0.18 | 0.41 | 58 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIAS or CHDL< 1") ¹ | 0.30 | 0.17 | 0.37 | 58 | X |
| ¹ This product requires you to choose "Energy Plus" under frame type | | | | | |
| ² This product requires you to choose "Energy Plus" under frame type and comment "w/SS Spacer and Argon" | | | | | |

| | | | | | |
|---|------|------|------|----|---|
| Energy Plus Clad Casement Rectangular Units (1" Triple IG--Not Available With GIAS or Internal CHDL Spacer Bar) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
| Triple IG--LE/CL/LE Air ³ -- Produced with capillary tubes | 0.30 | 0.21 | 0.35 | 63 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) -- Produced with capillary tubes | 0.30 | 0.19 | 0.31 | 63 | X |
| Triple IG--LE/CL/CL Argon-Filled ^d | 0.30 | 0.23 | 0.41 | 62 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.30 | 0.21 | 0.37 | 62 | X |
| Triple IG--LE/CL/LE Argon-Filled ^d | 0.27 | 0.21 | 0.35 | 64 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.27 | 0.19 | 0.31 | 64 | X |
| ¹ This product requires you to choose "Energy Plus" under frame type. Note--CHDL in Triple IG cannot be ordered with internal spacer. | | | | | |

| | | | | | |
|--|------|------|------|----|---|
| Energy Saver Clad Casement Rectangular and Arch Top Units (1" Triple IG -- Not Available With GIAS or Internal CHDL Spacer Bar) | | | | | |
| Triple IG--LE/CL/LE Argon-Filled | 0.28 | 0.21 | 0.35 | 64 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.28 | 0.19 | 0.31 | 64 | X |
| Note--CHDL in Triple IG cannot be ordered with internal spacer. | | | | | |

| | | | | | |
|---|------|------|------|----|---|
| Energy Plus Clad Awning (3/4" IG) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.26 | 0.47 | 54 | X |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL< 1") ² | 0.30 | 0.24 | 0.42 | 54 | X |
| Insul--LE SPF/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.26 | 0.46 | 54 | X |
| Insul--LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL< 1") ² | 0.30 | 0.24 | 0.41 | 54 | X |
| Insul--Climate Control LE/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.25 | 0.46 | 54 | X |
| Insul--Climate Control LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.23 | 0.41 | 54 | X |
| Insul--Climate Control LE SPF/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.24 | 0.45 | 54 | X |
| Insul--Climate Control LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.22 | 0.40 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.19 | 0.36 | 55 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.17 | 0.32 | 55 | X |
| Insul--Super Sunblocker LE SPF/CL Argon-Filled w/Stainless Steel Spacer ² | 0.30 | 0.19 | 0.35 | 54 | X |
| Insul--Super Sunblocker LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL<1") ² | 0.30 | 0.17 | 0.32 | 54 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled ^d | 0.29 | 0.19 | 0.43 | 56 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIAS or CHDL< 1") ^d | 0.29 | 0.17 | 0.38 | 56 | X |
| ¹ This product requires you to choose "Energy Plus" under frame type | | | | | |
| ² This product requires you to choose "Energy Plus" under frame type and comment "w/SS Spacer and Argon" | | | | | |

| | | | | | |
|---|------|------|------|----|---|
| Energy Plus Clad Awning (1" Triple IG -- Not Available With GIAS or Internal CHDL Spacer Bar) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
| Triple IG--LE/CL/LE Air-Filled ^d -- Produced with capillary tubes | 0.28 | 0.21 | 0.36 | 62 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) -- Produced with capillary tubes | 0.28 | 0.20 | 0.32 | 62 | X |
| Triple IG--LE/CL/CL Argon-Filled ^d | 0.29 | 0.23 | 0.42 | 61 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.29 | 0.21 | 0.38 | 61 | X |
| Triple IG--LE/CL/LE Argon-Filled ^d | 0.25 | 0.21 | 0.36 | 65 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.25 | 0.20 | 0.32 | 65 | X |
| ¹ This product requires you to choose "Energy Plus" under frame type. Note--CHDL in Triple IG cannot be ordered with internal spacer. | | | | | |

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|--|----------|------|------|----|--------------------------|
| Energy Saver Clad Awning (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.30 | 0.21 | 0.36 | 62 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) -- Produced with capillary tubes | 0.30 | 0.20 | 0.32 | 62 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.27 | 0.21 | 0.36 | 65 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.27 | 0.20 | 0.32 | 65 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

| Energy Plus Clad Casement Picture (3/4" IG) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
|---|------|------|------|----|---|
| Insul LE/CL Argon-Filled ^d | 0.30 | 0.30 | 0.54 | 53 | X |
| Insul LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.28 | 0.48 | 53 | X |
| Insul LE SPF/CL Argon-Filled ^d | 0.30 | 0.30 | 0.53 | 54 | X |
| Insul LE SPF/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.27 | 0.47 | 53 | X |
| Insul--Climate Control LE/CL Argon-Filled ^d | 0.30 | 0.29 | 0.53 | 53 | X |
| Insul--Climate Control LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.26 | 0.47 | 53 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled ^d | 0.30 | 0.28 | 0.52 | 54 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.26 | 0.46 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled ^d | 0.30 | 0.22 | 0.41 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.20 | 0.37 | 53 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled ^d | 0.30 | 0.22 | 0.41 | 54 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.20 | 0.36 | 54 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled ^d | 0.29 | 0.22 | 0.49 | 59 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.29 | 0.20 | 0.44 | 54 | X |
| ^f This product requires you to choose "Energy Plus" under frame type. | | | | | |

| Energy Plus Clad Casement Picture (1" Triple IG Not Available With GIAS or Internal Spacer Bar; Sizes Limited) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
|--|------|------|------|----|---|
| Triple IG--LE/CL/LE Air-Filled ^d -- Produced with capillary tubes | 0.29 | 0.25 | 0.41 | 58 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) ^f -- Produced with capillary tubes | 0.29 | 0.22 | 0.37 | 58 | X |
| Triple IG--LE/CL/CL Argon-Filled ^d | 0.29 | 0.27 | 0.49 | 58 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) ^f | 0.29 | 0.24 | 0.43 | 58 | X |
| Triple IG--LE/CL/LE Argon-Filled ^d | 0.25 | 0.24 | 0.41 | 62 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) ^f | 0.25 | 0.22 | 0.37 | 62 | X |
| ^f This product requires you to choose "Energy Plus" under frame type. Note--CHDL in Triple IG cannot be ordered with internal spacer. | | | | | |

| Energy Plus Clad Casement Sash & Frame (3/4" IG) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
|--|------|------|------|----|---|
| Insul LE/CL Argon-Filled ^d | 0.30 | 0.30 | 0.54 | 53 | X |
| Insul LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.28 | 0.48 | 53 | X |
| Insul LE SPF/CL Argon-Filled ^d | 0.30 | 0.30 | 0.53 | 54 | X |
| Insul LE SPF/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.27 | 0.47 | 53 | X |
| Insul--Climate Control LE/CL Argon-Filled ^d | 0.30 | 0.29 | 0.53 | 53 | X |
| Insul--Climate Control LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.26 | 0.47 | 53 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled ^d | 0.30 | 0.28 | 0.52 | 54 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.26 | 0.46 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled ^d | 0.30 | 0.22 | 0.41 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.20 | 0.37 | 53 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled ^d | 0.30 | 0.22 | 0.41 | 54 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.30 | 0.20 | 0.36 | 54 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled ^d | 0.29 | 0.22 | 0.49 | 59 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (GIAS or CHDL< 1") ^f | 0.29 | 0.20 | 0.44 | 54 | X |
| ^f This product requires you to choose "Energy Plus" under frame type. | | | | | |

| Energy Plus Clad Casement Sash & Frame (1" Triple IG Not Available With GIAS or Internal HDL Spacer Bar) -- Must select "Energy Plus" under frame type in E-Bid | | | | | |
|--|------|------|------|----|---|
| Triple IG--LE/CL/LE Air-Filled ^d -- Produced with capillary tubes | 0.29 | 0.25 | 0.41 | 58 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) ^f -- Produced with capillary tubes | 0.29 | 0.22 | 0.37 | 58 | X |
| Triple IG--LE/CL/CL Argon-Filled ^d | 0.29 | 0.27 | 0.49 | 58 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) ^f | 0.29 | 0.24 | 0.43 | 58 | X |
| Triple IG--LE/CL/LE Argon-Filled ^d | 0.25 | 0.24 | 0.41 | 62 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) ^f | 0.25 | 0.22 | 0.37 | 62 | X |
| ^f This product requires you to choose "Energy Plus" under frame type. Note--CHDL in Triple IG cannot be ordered with internal spacer. | | | | | |

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|---|----------|------|------|----|--------------------------|
| Energy Saver Clad Casement Picture (3/4" IG) | | | | | |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.30 | 0.54 | 56 | X |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL < 1") | 0.30 | 0.28 | 0.48 | 55 | X |
| Insul--LE SPF/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.30 | 0.53 | 56 | X |
| Insul--LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL < 1") | 0.30 | 0.27 | 0.47 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.22 | 0.41 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL < 1") | 0.30 | 0.20 | 0.37 | 55 | X |
| Insul--Super Sunblocker LE SPF/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.22 | 0.41 | 56 | X |
| Insul--Super Sunblocker LE SPF/CL Argon-Filled w/Stainless Steel Spacer (w/GIAS or CHDL < 1") | 0.30 | 0.20 | 0.36 | 56 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.30 | 0.22 | 0.49 | 59 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIAS or CHDL < 1") | 0.30 | 0.20 | 0.44 | 58 | X |
| ² This product requires you to choose or comment "w/SS Spacer and Argon" | | | | | |
| Energy Saver Clad Casement Picture (1" Triple IG -- Not Available With GIAs or Internal Spacer Bar; Limited Sizes Available) | | | | | |
| Triple IG--LE/CL/CL Argon-Filled | 0.30 | 0.27 | 0.49 | 58 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.24 | 0.43 | 58 | X |
| Triple IG--LE/CL/LE Argon-Filled | 0.26 | 0.24 | 0.41 | 61 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL < 1" w/o internal spacer) | 0.26 | 0.22 | 0.37 | 61 | X |
| Note--CHDL in Triple IG cannot be ordered with internal spacer. | | | | | |
| Premium Clad DH Operator (3/4" IG) | | | | | |
| Insul LE/CL Air-Filled W/Storm (With GIA or CHDL < 1") -- Produced with capillary tubes | 0.27 | 0.26 | 0.41 | 62 | X |
| Insul LE/CL Air-Filled W/Storm -- Produced with capillary tubes | 0.27 | 0.29 | 0.46 | 62 | X |
| Insul LE/CL Air-Filled W/Storm (With GIA or CHDL < 1") -- Produced with capillary tubes | 0.27 | 0.26 | 0.41 | 62 | X |
| Insul Climate Control LE/CL Air-Filled W/Storm -- Produced with capillary tubes | 0.27 | 0.27 | 0.45 | 62 | X |
| Insul Climate Control LE/CL Air-Filled W/Storm (With GIA or CHDL < 1") -- Produced with capillary tubes | 0.27 | 0.25 | 0.40 | 62 | X |
| Insul--Super Sunblocker LE/CL Air-Filled W/Storm -- Produced with capillary tubes | 0.27 | 0.23 | 0.35 | 62 | X |
| Insul--Super Sunblocker LE/CL Air-Filled W/Storm (With GIA or CHDL < 1") -- Produced with capillary tubes | 0.27 | 0.21 | 0.31 | 62 | X |
| Insul Solar Ban 70 LE/CL Argon-Filled -- Produced with Technoform Stainless Steel Spacer [†] | 0.30 | 0.20 | 0.45 | 62 | X |
| Insul Solar Ban 70 LE/CL Argon-Filled (With GIA or CHDL < 1") -- Produced with Technoform Stainless Steel Spacer [†] | 0.30 | 0.18 | 0.40 | 62 | X |
| Insul LE/CL Argon-Filled W/Storm | 0.25 | 0.28 | 0.46 | 64 | X |
| Insul LE/CL Argon-Filled W/Storm (With GIA or CHDL < 1") | 0.25 | 0.25 | 0.41 | 63 | X |
| Insul Climate Control LE/CL Argon-Filled W/Storm | 0.25 | 0.27 | 0.45 | 63 | X |
| Insul Climate Control LE/CL Argon-Filled W/Storm (With GIA or CHDL < 1") | 0.25 | 0.24 | 0.40 | 63 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled W/Storm | 0.24 | 0.22 | 0.35 | 64 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled W/Storm (With GIA or CHDL < 1") | 0.24 | 0.20 | 0.31 | 63 | X |
| Insul--Cardinal LE/CL Argon-Filled W/Storm | 0.24 | 0.21 | 0.42 | 68 | X |
| Insul--Cardinal LE/CL Argon-Filled W/Storm (With GIA or CHDL < 1") | 0.24 | 0.19 | 0.37 | 68 | X |
| ¹ This product requires you to choose or comment "w/Technoform SS Spacer and Argon" | | | | | |
| Premium Clad DH Sash Kits (3/4" IG) -- Energy Star Clarification Eliminated Sash Kits as an Allowable Product | | | | | |
| Premium Clad DH Picture (3/4" IG) | | | | | |
| Insul LE/CL Argon-Filled | 0.30 | 0.29 | 0.52 | 56 | X |
| Insul LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.27 | 0.46 | 56 | X |
| Insul LE SPF/CL Argon-Filled | 0.30 | 0.29 | 0.51 | 57 | X |
| Insul LE SPF/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.26 | 0.45 | 57 | X |
| Insul--Climate Control LE/CL Argon-Filled | 0.30 | 0.28 | 0.51 | 56 | X |
| Insul--Climate Control LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.25 | 0.45 | 56 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled | 0.30 | 0.27 | 0.50 | 56 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.24 | 0.44 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled | 0.30 | 0.21 | 0.40 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.19 | 0.36 | 56 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled | 0.30 | 0.21 | 0.39 | 57 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.19 | 0.35 | 57 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.29 | 0.21 | 0.47 | 60 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (With GIA or CHDL) | 0.29 | 0.19 | 0.42 | 60 | X |
| Note--CHDL in this product cannot be ordered with internal spacer as it will not meet the tax credit requirements | | | | | |

Note: Sash Kits purchased prior to 10-2010 qualify for the tax credit.

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|---|----------|------|------|----|--------------------------|
| Premium Clad DH Picture (1" Triple IG -- Not Available With GIAS or Internal Spacer Bar; Limited Sizes Available) | | | | | |
| Triple IG--LE/CL/CL Air-Filled -- Produced w/capillary tubes | 0.30 | 0.26 | 0.48 | 60 | X |
| Triple IG--LE/CL/CL Air-Filled (CHDL w/o internal spacer) -- Produced w/capillary tubes | 0.30 | 0.24 | 0.43 | 60 | X |
| Triple IG--LE/CL/LE Air-Filled -- Produced w/capillary tubes | 0.26 | 0.24 | 0.41 | 61 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL w/o internal spacer) -- Produced w/capillary tubes | 0.26 | 0.21 | 0.36 | 61 | X |
| Triple IG--LE/CL/CL Argon-Filled | 0.27 | 0.26 | 0.48 | 61 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL w/o internal spacer) | 0.27 | 0.23 | 0.43 | 61 | X |
| Triple IG--LE/CL/LE Argon-Filled | 0.23 | 0.24 | 0.41 | 61 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL w/o internal spacer) | 0.23 | 0.21 | 0.36 | 61 | X |
| <i>Note--Values shown reflect SHGC and VT for CHDL < 1". Wider bars also meet the .30/.30 requirement. CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

| | | | | | |
|--|------|------|------|----|---|
| Premium Clad DH Sash & Frame (3/4" IG) | | | | | |
| Insul LE/CL Argon-Filled | 0.30 | 0.30 | 0.52 | 54 | X |
| Insul LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.27 | 0.46 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled | 0.30 | 0.21 | 0.40 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.19 | 0.36 | 54 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled | 0.30 | 0.21 | 0.40 | 55 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.19 | 0.36 | 54 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.29 | 0.21 | 0.48 | 60 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (With GIA or CHDL) | 0.29 | 0.19 | 0.42 | 60 | X |
| <i>Note--CHDL in this product cannot be ordered with internal spacer as it will not meet the tax credit requirements</i> | | | | | |

| | | | | | |
|--|------|------|------|----|---|
| Monument Slider (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar; Some Size Limitations Apply) | | | | | |
| Triple IG -- LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.29 | 0.24 | 0.40 | 59 | X |
| Triple IG -- LE/CL/LE Air-Filled (CHDL < 1" w/o internal spacer) -- Produced with capillary tubes | 0.29 | 0.21 | 0.36 | 59 | X |
| Triple IG -- LE/CL/CL Argon-Filled | 0.30 | 0.26 | 0.47 | 60 | X |
| Triple IG -- LE/CL/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.23 | 0.42 | 60 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.26 | 0.23 | 0.40 | 60 | X |
| Triple IG -- LE/CL/LE Argon-Filled (CHDL < 1" w/o internal spacer) | 0.26 | 0.21 | 0.36 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

| | | | | | |
|--|------|------|------|----|---|
| Monument Single Hung/Double Hung Operator (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar; Some Size Limitations Apply) | | | | | |
| Triple IG -- LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.30 | 0.23 | 0.39 | 59 | X |
| Triple IG -- LE/CL/LE Air-Filled (CHDL < 1" w/o internal spacer) -- Produced with capillary tubes | 0.30 | 0.20 | 0.34 | 59 | X |
| Triple IG -- LE/CL/CL Argon-Filled | 0.30 | 0.25 | 0.45 | 60 | X |
| Triple IG -- LE/CL/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.30 | 0.22 | 0.40 | 60 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.27 | 0.23 | 0.39 | 60 | X |
| Triple IG -- LE/CL/LE Argon-Filled (CHDL < 1" w/o internal spacer) | 0.27 | 0.20 | 0.34 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

| | | | | | |
|--|------|------|------|----|---|
| Monument Picture (3/4" IG) | | | | | |
| Insul LE/CL Argon-Filled | 0.30 | 0.29 | 0.52 | 56 | X |
| Insul LE/CL Argon-Filled (w/GIAS or CHDL < 1") | 0.30 | 0.26 | 0.46 | 55 | X |
| Insul LE SPF/CL Argon-Filled | 0.30 | 0.29 | 0.51 | 56 | X |
| Insul LE SPF/CL Argon-Filled (w/GIAS or CHDL < 1") | 0.30 | 0.26 | 0.45 | 55 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled | 0.30 | 0.21 | 0.40 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (w/GIAS or CHDL < 1") | 0.30 | 0.19 | 0.36 | 56 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled | 0.30 | 0.21 | 0.39 | 56 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (w/GIAS or CHDL < 1") | 0.30 | 0.19 | 0.35 | 56 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.29 | 0.21 | 0.47 | 60 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIAS or CHDL < 1") | 0.30 | 0.19 | 0.42 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

| | | | | | |
|---|------|------|------|----|---|
| Monument Picture (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar; Some Size Limitations Apply) | | | | | |
| Triple IG -- LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.27 | 0.24 | 0.39 | 60 | X |
| Triple IG -- LE/CL/LE Air-Filled (CHDL < 1" w/o internal spacer) -- Produced with capillary tubes | 0.27 | 0.21 | 0.35 | 60 | X |
| Triple IG -- LE/CL/CL Argon-Filled | 0.28 | 0.26 | 0.46 | 60 | X |
| Triple IG -- LE/CL/CL Argon-Filled (CHDL < 1" w/o internal spacer) | 0.28 | 0.23 | 0.41 | 60 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.23 | 0.24 | 0.46 | 60 | X |
| Triple IG -- LE/CL/LE Argon-Filled (CHDL < 1" w/o internal spacer) | 0.23 | 0.21 | 0.41 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|--|----------|------|------|----|--------------------------|
| Monument Sash & Frame (3/4" IG) | | | | | |
| Insul LE/CL Argon-Filled | 0.30 | 0.30 | 0.55 | 56 | X |
| Insul LE/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.30 | 0.27 | 0.49 | 55 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled | 0.30 | 0.22 | 0.42 | 56 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.30 | 0.20 | 0.38 | 56 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled | 0.30 | 0.21 | 0.41 | 56 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.30 | 0.20 | 0.37 | 56 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.29 | 0.22 | 0.50 | 59 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIAS or CHDL< 1") | 0.30 | 0.26 | 0.48 | 58 | X |
| <i>Note--CHDL in this product cannot be ordered with internal spacer as it will not meet the tax credit requirements</i> | | | | | |
| Monument Sash & Frame (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG -- LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.26 | 0.25 | 0.42 | 64 | X |
| Triple IG -- LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) -- Produced with capillary tubes | 0.26 | 0.22 | 0.38 | 64 | X |
| Triple IG -- LE/CL/CL Argon-Filled | 0.27 | 0.27 | 0.49 | 63 | X |
| Triple IG -- LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.27 | 0.24 | 0.44 | 63 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.23 | 0.25 | 0.42 | 67 | X |
| Triple IG -- LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.23 | 0.22 | 0.38 | 67 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|--|----------|------|------|----|--------------------------|
| Energy Saver Direct Set (3/4" IG) | | | | | |
| Insul--Climate Control LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.30 | 0.54 | 52 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.29 | 0.53 | 50 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled | 0.29 | 0.25 | 0.48 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.23 | 0.43 | 52 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled | 0.29 | 0.24 | 0.47 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.22 | 0.42 | 52 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.28 | 0.25 | 0.56 | 55 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.22 | 0.51 | 55 | X |
| Energy Saver Direct Set (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG -- LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.28 | 0.28 | 0.48 | 58 | X |
| Triple IG -- LE/CL/LE Air-Filled (CHDL< 1" w/o internal grilles) -- Produced with capillary tubes | 0.28 | 0.25 | 0.43 | 58 | X |
| Triple IG -- LE/CL/CL Argon-Filled | 0.28 | 0.30 | 0.55 | 58 | X |
| Triple IG -- LE/CL/CL Argon-Filled (CHDL< 1" w/o internal grilles) | 0.28 | 0.28 | 0.50 | 58 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.24 | 0.28 | 0.48 | 58 | X |
| Triple IG -- LE/CL/LE Argon-Filled (CHDL< 1" w/o internal grilles) | 0.24 | 0.26 | 0.43 | 58 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |
| Energy Saver Direct Set Circle Top (3/4" IG) | | | | | |
| Insul--Climate Control LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.30 | 0.54 | 52 | X |
| Insul--Climate Control SPF LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.30 | 0.29 | 0.53 | 52 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled | 0.29 | 0.25 | 0.48 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.29 | 0.23 | 0.43 | 52 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled | 0.29 | 0.24 | 0.47 | 52 | X |
| Insul--Super Sunblocker SPF LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.29 | 0.22 | 0.42 | 52 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.28 | 0.25 | 0.56 | 57 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (GIAS and CHDL< 1") | 0.28 | 0.22 | 0.51 | 56 | X |
| Energy Saver Direct Set Circle Top (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG -- LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.28 | 0.28 | 0.48 | 58 | X |
| Triple IG -- LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) -- Produced with capillary tubes | 0.28 | 0.25 | 0.43 | 58 | X |
| Triple IG -- LE/CL/CL Argon-Filled | 0.28 | 0.30 | 0.56 | 58 | X |
| Triple IG -- LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.28 | 0.28 | 0.50 | 58 | X |
| Triple IG -- LE/CL/LE Argon-Filled | 0.24 | 0.28 | 0.48 | 58 | X |
| Triple IG -- LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.24 | 0.25 | 0.43 | 58 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |
| Energy Saver Standard Sliding Patio Door (3/4" IG) | | | | | |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.30 | 0.21 | 0.49 | 57 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIAS or CHDL< 1") | 0.30 | 0.19 | 0.43 | 57 | X |
| <i>Note--CHDL in this product cannot be ordered with internal spacer as it will not meet the tax credit requirements</i> | | | | | |
| Energy Saver Sliding Patio Door (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG--LE/CL/LE Argon-Filled | 0.27 | 0.24 | 0.41 | 59 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.27 | 0.21 | 0.36 | 59 | X |
| <i>Note--CHDL in this product cannot be ordered with internal spacer.</i> | | | | | |
| Energy Saver French Sliding Patio Door (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG--LE/CL/LE Argon-Filled | 0.28 | 0.20 | 0.34 | 60 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.28 | 0.18 | 0.30 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |
| Energy Saver Inswing Patio Door (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes | 0.30 | 0.20 | 0.31 | 60 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDL< 1" w/o internal spacer) -- Produced with capillary tubes | 0.30 | 0.17 | 0.27 | 60 | X |
| Triple IG--LE/CL/CL Argon-Filled | 0.30 | 0.22 | 0.37 | 60 | X |
| Triple IG--LE/CL/CL Argon-Filled (CHDL< 1" w/o internal spacer) | 0.30 | 0.19 | 0.31 | 60 | X |
| Triple IG--LE/CL/LE Argon-Filled | 0.27 | 0.15 | 0.31 | 60 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.27 | 0.17 | 0.27 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |
| Energy Saver Outswing Patio Door (1" Triple IG -- Not Available With GIAS or Internal HDL Spacer Bar) | | | | | |
| Triple IG--LE/CL/LE Air-Filled -- With capillary tubes (French version does not meet tax credit) | 0.30 | 0.20 | 0.33 | 59 | X |
| Triple IG--LE/CL/LE Air-Filled (CHDLw/o internal spacer) -- With capillary tubes (French version does not meet tax credit) | 0.30 | 0.17 | 0.28 | 59 | X |
| Triple IG--LE/CL/LE Argon-Filled | 0.28 | 0.20 | 0.31 | 60 | X |
| Triple IG--LE/CL/LE Argon-Filled (CHDL< 1" w/o internal spacer) | 0.28 | 0.17 | 0.26 | 60 | X |
| <i>Note--CHDL in Triple IG cannot be ordered with internal spacer.</i> | | | | | |

Hurd Clad Wood Products That Qualify for 2009/2010 Tax Credit

| PRODUCT/GLAZING MAKE-UP | U-FACTOR | SHGC | VT | CR | QUALIFIES FOR TAX CREDIT |
|---|----------|------|------|----|--------------------------|
| H-3 Casement Operator (3/4" IG) | | | | | |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.29 | 0.52 | 54 | X |
| Insul--LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) w/Stainless Steel Spacer [†] | 0.30 | 0.27 | 0.48 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.21 | 0.40 | 54 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) w/Stainless Steel Spacer [†] | 0.30 | 0.19 | 0.37 | 54 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.29 | 0.21 | 0.48 | 57 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) | 0.29 | 0.19 | 0.43 | 56 | X |
| [†] This product requires you to request "w/SS Spacer and Argon" | | | | | |
| H-3 Casement Picture (3/4" IG) | | | | | |
| Insul--LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) | 0.29 | 0.29 | 0.52 | 49 | X |
| Insul--Climate Control LE/CL Argon-Filled | 0.29 | 0.30 | 0.51 | 50 | X |
| Insul--Climate Control LE/CL Argon-Filled (w/GIA or CHDL< 1") | 0.29 | 0.28 | 0.51 | 49 | X |
| Insul--Super Sunblocker/CL Argon-Filled | 0.28 | 0.23 | 0.45 | 50 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (w/GIA or CHDL< 1" with or w/o internal spacer) | 0.28 | 0.21 | 0.40 | 50 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.27 | 0.23 | 0.53 | 55 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIA or CHDL< 1" with or w/o internal spacer) | 0.27 | 0.21 | 0.48 | 55 | X |
| H-3 Awning Operator (3/4" IG) | | | | | |
| Insul--LE/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.29 | 0.52 | 53 | X |
| Insul--LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) w/Stainless Steel Spacer [†] | 0.30 | 0.27 | 0.48 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled w/Stainless Steel Spacer [†] | 0.30 | 0.21 | 0.40 | 53 | X |
| Insul--Super Sunblocker LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) w/Stainless Steel Spacer [†] | 0.30 | 0.19 | 0.37 | 53 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled | 0.29 | 0.21 | 0.48 | 56 | X |
| Insul--Cardinal 366 LE/CL Argon-Filled (w/GIA or CHDL<1" with or w/o internal spacer) | 0.29 | 0.19 | 0.43 | 56 | X |
| [†] This product requires you to request "w/SS Spacer and Argon" | | | | | |