

Hurd Wood Products That Qualify for 2009/2010 Tax Credit



3/8/2010

PRODUCT/GLAZING MAKE-UP	U-FACTOR	SHGC	VT	CR	QUALIFIES FOR TAX CREDIT
Wood Casement Operator (3/4" IG)					
Insul LE/CL Argon-Filled	0.30	0.27	0.48	53	X
Insul LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.24	0.44	53	X
Insul SPF LE/CL Argon-Filled	0.29	0.27	0.48	54	X
Insul SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.24	0.44	53	X
Insul Climate Control LE/CL Argon-Filled	0.30	0.22	0.43	53	X
Insul Climate Control LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.20	0.39	52	X
Insul Climate Control SPF LE/CL Argon-Filled	0.30	0.25	0.46	54	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.23	0.42	53	X
Insul Super Sunblocker LE/CL Argon-Filled	0.30	0.19	0.37	53	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.17	0.34	53	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.30	0.19	0.36	54	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.17	0.33	53	X
Insul Cardinal 366 LE/CL Argon-Filled	0.28	0.19	0.44	57	X
Insul Cardinal 366 LE/CL Argon-Filled (with GIA or HDL < 1")	0.28	0.17	0.40	56	X

Wood Casement Operator (1" Triple IG -- Not Available With Internal Spacer or GIAS)					
Triple IG--LE/CL/CL Air-Filled -- Produced with capillary tubes	0.30	0.24	0.44	57	X
Triple IG--LE/CL/CL Air-Filled (HDL < 1" w/o internal grilles) -- Produced with capillary tubes	0.30	0.22	0.39	57	X
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.26	0.22	0.37	60	X
Triple IG--LE/CL/LE Air-Filled (HDL < 1" w/o internal grilles) -- Produced with capillary tubes	0.26	0.20	0.34	60	X
Triple IG--LE/CL/CL Argon-Filled	0.27	0.24	0.44	59	X
Triple IG--LE/CL/CL Argon-Filled (HDL < 1" w/o internal grilles)	0.27	0.22	0.39	59	X
Triple IG--LE/CL/LE Argon-Filled	0.23	0.22	0.37	63	X
Triple IG--LE/CL/LE Argon-Filled (HDL < 1" w/o internal grilles)	0.23	0.20	0.34	63	X
NOTE: HDL in Triple IG cannot be ordered with internal spacer					

Wood Awning Operator (3/4" IG)					
Insul LE/CL Argon-Filled	0.29	0.26	0.47	52	X
Insul LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.24	0.43	51	X
Insul SPF LE/CL Argon-Filled	0.29	0.26	0.46	52	X
Insul SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.24	0.42	52	X
Insul Climate Control LE/CL Argon-Filled	0.29	0.24	0.46	52	X
Insul Climate Control LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.22	0.42	51	X
Insul Climate Control SPF LE/CL Argon-Filled	0.29	0.24	0.45	52	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.22	0.41	51	X
Insul Super Sunblocker LE/CL Argon-Filled	0.29	0.19	0.36	52	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.17	0.33	51	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.29	0.18	0.36	52	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.17	0.32	52	X
Insul Cardinal 366 LE/CL Argon-Filled	0.28	0.19	0.44	56	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.29	0.18	0.40	55	X

Wood Awning Operator (1" Triple IG -- Not Available With Internal Spacer or GIAS)					
Triple IG--LE/CL/CL Air-Filled -- Produced with capillary tubes	0.30	0.24	0.44	58	X
Triple IG--LE/CL/CL Air-Filled (HDL < 1" w/o internal grilles) -- Produced with capillary tubes	0.30	0.22	0.40	58	X
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.26	0.22	0.37	61	X
Triple IG--LE/CL/LE Air-Filled (HDL < 1" w/o internal grilles) -- Produced with capillary tubes	0.26	0.20	0.34	61	X
Triple IG--LE/CL/CL Argon-Filled	0.27	0.24	0.44	61	X
Triple IG--LE/CL/CL Argon-Filled (HDL < 1" w/o internal grilles)	0.27	0.22	0.40	61	X
Triple IG--LE/CL/LE Argon-Filled	0.23	0.22	0.37	64	X
Triple IG--LE/CL/LE Argon-Filled (HDL < 1" w/o internal grilles)	0.23	0.20	0.34	64	X
NOTE: HDL in Triple IG cannot be ordered with internal spacer					

PRODUCT/GLAZING MAKE-UP	U-FACTOR	SHGC	VT	CR	QUALIFIES FOR TAX CREDIT
Wood Casement Picture (3/4" IG)					
Insul Cardinal 366 LE/CL Air-Filled -- Produced with capillary tubes	0.30	0.22	0.50	54	X
Insul Cardinal 366 LE/CL Air-Filled (w/GIA or HDL < 1") -- Produced with capillary tubes	0.30	0.20	0.45	54	X
Insul LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.28	0.49	52	X
Insul SPF LE/CL Argon-Filled	0.28	0.30	0.54	53	X
Insul SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.27	0.48	52	X
Insul Climate Control LE/CL Argon-Filled	0.28	0.29	0.54	53	X
Insul Climate Control LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.26	0.48	52	X
Insul Climate Control SPF LE/CL Argon-Filled	0.28	0.28	0.53	53	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.26	0.47	52	X
Insul Super Sunblocker LE/CL Argon-Filled	0.28	0.22	0.42	53	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.20	0.38	52	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.28	0.22	0.42	53	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.20	0.37	53	X
Insul Cardinal 366 LE/CL Argon-Filled	0.27	0.22	0.50	57	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.28	0.20	0.45	56	X

Wood Casement Picture (1" Triple IG -- Not Available With Internal Spacer or GIAs; Limited Sizes Available)					
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.27	0.25	0.42	59	X
Triple IG--LE/CL/LE Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.27	0.22	0.38	59	X
Triple IG--LE/CL/CL Argon-Filled	0.27	0.27	0.50	58	X
Triple IG--LE/CL/CL Argon-Filled (HDL< 1" w/o internal grilles)	0.27	0.24	0.44	58	X
Triple IG--LE/CL/LE Argon-Filled	0.24	0.24	0.42	59	X
Triple IG--LE/CL/LE Argon-Filled (HDL< 1" w/o internal grilles)	0.24	0.22	0.38	59	X
<i>NOTE: HDL in Triple IG cannot be ordered with internal spacer</i>					

Wood Casement Sash & Frame (3/4" IG)					
Insul Cardinal 366 LE/CL Air-Filled -- Produced with capillary tubes	0.30	0.22	0.50	54	X
Insul Cardinal 366 LE/CL Air-Filled (w/GIA or HDL < 1") -- Produced with capillary tubes	0.30	0.20	0.45	54	X
Insul LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.28	0.49	52	X
Insul SPF LE/CL Argon-Filled	0.28	0.30	0.54	53	X
Insul SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.27	0.48	52	X
Insul Climate Control LE/CL Argon-Filled	0.28	0.29	0.54	53	X
Insul Climate Control LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.26	0.48	52	X
Insul Climate Control SPF LE/CL Argon-Filled	0.28	0.28	0.53	53	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.26	0.47	52	X
Insul Super Sunblocker LE/CL Argon-Filled	0.28	0.22	0.42	53	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.20	0.38	52	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.28	0.22	0.42	53	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.20	0.37	53	X
Insul Cardinal 366 LE/CL Argon-Filled	0.27	0.22	0.50	57	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.28	0.20	0.45	56	X

Wood Casement Sash & Frame (1" Triple IG -- Not Available with Internal Spacer or GIAs)					
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.27	0.25	0.42	59	X
Triple IG--LE/CL/LE Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.27	0.22	0.38	59	X
Triple IG--LE/CL/CL Argon-Filled	0.27	0.27	0.50	58	X
Triple IG--LE/CL/CL Argon-Filled (HDL< 1" w/o internal grilles)	0.27	0.24	0.44	58	X
Triple IG--LE/CL/LE Argon-Filled	0.24	0.24	0.42	59	X
Triple IG--LE/CL/LE Argon-Filled (HDL< 1" w/o internal grilles)	0.24	0.22	0.38	59	X
<i>NOTE: HDL in Triple IG cannot be ordered with internal spacer</i>					

PRODUCT/GLAZING MAKE-UP	U-FACTOR	SHGC	VT	CR	QUALIFIES FOR TAX CREDIT
Wood Double Hung Operators (3/4" IG)					
Insul LE/CL Air-Filled w/Storm	0.25	0.29	0.48	64	X
Insul LE/CL Air-Filled w/Storm (w/GIAS or HDL < 1")	0.25	0.26	0.41	64	X
Insul Climate Control LE/CL Air-Filled w/Storm	0.25	0.27	0.45	64	X
Insul Climate Control LE/CL Air-Filled w/Storm (w/GIAS or HDL < 1")	0.25	0.24	0.40	64	X
Insul Super Sunblocker LE/CL Air-Filled w/Storm	0.25	0.23	0.36	64	X
Insul Super Sunblocker LE/CL Air-Filled w/Storm (with GIA or HDL < 1")	0.25	0.21	0.32	64	X
Insul Cardinal 366 LE/CL Air-Filled w/Storm	0.24	0.22	0.42	64	X
Insul Cardinal 366 LE/CL Air-Filled w/Storm (w/GIAS or HDL < 1")	0.24	0.20	0.37	64	X
Insul LE/CL Argon-Filled ¹ -- Produced with Technoform Stainless Steel Spacer	0.30	0.28	0.50	58	X
Insul LE/CL Argon-Filled (w/GIAS or HDL < 1") ¹ -- Produced with Technoform Stainless Steel Spacer	0.30	0.25	0.45	58	X
Insul Super Sunblocker LE/CL Argon-Filled ¹ -- Produced with Technoform Stainless Steel Spacer	0.29	0.20	0.39	58	X
Insul Super Sunblocker LE/CL Argon-Filled (w/GIAS or HDL < 1") ¹ -- Produced with Technoform SS Spacer	0.29	0.18	0.34	58	X
Insul Cardinal 366 LE/CL Argon-Filled	0.30	0.20	0.46	58	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.30	0.18	0.41	58	X
Insul LE/CL Argon-Filled w/Storm	0.22	0.28	0.46	66	X
Insul LE/CL Argon-Filled w/Storm (w/GIAS or HDL < 1")	0.22	0.25	0.41	66	X
Insul Climate Control LE/CL Argon-Filled w/Storm	0.23	0.26	0.45	66	X
Insul Climate Control LE/CL Argon-Filled w/Storm (w/GIAS or HDL < 1")	0.23	0.24	0.40	66	X
Insul Super Sunblocker LE/CL Argon-Filled w/Storm	0.22	0.22	0.35	66	X
Insul Super Sunblocker LE/CL Argon-Filled w/Storm (with GIA or HDL < 1")	0.22	0.20	0.31	66	X
Insul Cardinal 366 LE/CL Argon-Filled w/Storm	0.22	0.21	0.42	66	X
Insul Cardinal 366 LE/CL Argon-Filled w/Storm (w/GIAS or HDL < 1")	0.22	0.19	0.37	66	X

¹This product requires you to choose or comment "w/Technoform SS Spacer and Argon"

Wood Double Hung Sash Kits (3/4" IG)					
Insul LE/CL Air-Filled w/Storm	0.25	0.29	0.46	63	X
Insul LE/CL Air-Filled w/Storm (w/GIAS or HDL < 1")	0.25	0.26	0.41	63	X
Insul Climate Control LE/CL Air-Filled w/Storm	0.25	0.27	0.45	63	X
Insul Climate Control LE/CL Air-Filled w/Storm (w/GIAS or HDL < 1")	0.25	0.24	0.40	63	X
Insul Super Sunblocker LE/CL Air-Filled w/Storm	0.25	0.23	0.36	63	X
Insul Super Sunblocker LE/CL Air-Filled w/Storm (with GIA or HDL < 1")	0.25	0.21	0.32	63	X
Insul Cardinal 366 LE/CL Air-Filled w/Storm	0.24	0.22	0.42	65	X
Insul Cardinal 366 LE/CL Air-Filled w/Storm (w/GIAS or HDL < 1")	0.24	0.20	0.37	65	X
Insul LE/CL Argon-Filled ¹ -- Produced with Technoform Stainless Steel Spacer	0.30	0.28	0.50	60	X
Insul LE/CL Argon-Filled (w/GIAS or HDL < 1") ¹ -- Produced with Technoform Stainless Steel Spacer	0.30	0.25	0.45	60	X
Insul Super Sunblocker LE/CL Argon-Filled ¹ -- Produced with Technoform Stainless Steel Spacer	0.29	0.20	0.39	60	X
Insul Super Sunblocker LE/CL Argon-Filled (w/GIAS or HDL < 1") ¹ -- Produced with Technoform SS Spacer	0.29	0.18	0.34	60	X
Insul Cardinal 366 LE/CL Argon-Filled	0.30	0.20	0.46	58	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.30	0.18	0.41	58	X
Insul LE/CL Argon-Filled w/Storm	0.23	0.28	0.46	65	X
Insul LE/CL Argon-Filled w/Storm (w/GIAS or HDL < 1")	0.23	0.25	0.41	65	X
Insul Climate Control LE/CL Argon-Filled w/Storm	0.23	0.27	0.45	65	X
Insul Climate Control LE/CL Argon-Filled w/Storm (w/GIAS or HDL < 1")	0.23	0.24	0.40	65	X
Insul Super Sunblocker LE/CL Argon-Filled w/Storm	0.23	0.22	0.36	65	X
Insul Super Sunblocker LE/CL Argon-Filled w/Storm (with GIA or HDL < 1")	0.23	0.20	0.32	65	X
Insul Cardinal 366 LE/CL Argon-Filled w/Storm	0.22	0.21	0.42	67	X
Insul Cardinal 366 LE/CL Argon-Filled w/Storm (w/GIAS or HDL < 1")	0.22	0.19	0.37	67	X

¹This product requires you to choose or comment "w/Technoform SS Spacer and Argon"

Wood Double Hung Sash & Frame (3/4" IG)					
Insul LE/CL Argon-Filled	0.28	0.30	0.55	56	X
Insul LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.28	0.27	0.48	56	X
Insul SPF LE/CL Argon-Filled	0.28	0.30	0.53	56	X
Insul SPF LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.28	0.27	0.47	56	X
Insul Climate Control LE/CL Argon-Filled	0.29	0.28	0.53	56	X
Insul Climate Control LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.29	0.26	0.47	55	X
Insul Climate Control SPF LE/CL Argon-Filled	0.29	0.28	0.52	55	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.25	0.46	55	X
Insul Super Sunblocker LE/CL Argon-Filled	0.28	0.22	0.42	56	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.20	0.37	56	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.28	0.21	0.41	56	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.28	0.19	0.36	56	X
Insul Cardinal 366 LE/CL Argon-Filled	0.27	0.21	0.49	60	X

PRODUCT/GLAZING MAKE-UP	U-FACTOR	SHGC	VT	CR	QUALIFIES FOR TAX CREDIT
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.27	0.19	0.44	60	X

Wood DH Sash & Frame (1" Triple IG -- Not Available with Internal Spacer or GIAS)					
Triple IG--LE/CL/CL Air-Filled -- Produced with capillary tubes	0.29	0.27	0.50	62	X
Triple IG--LE/CL/CL Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.29	0.25	0.45	62	X
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.24	0.25	0.43	66	X
Triple IG--LE/CL/LE Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.24	0.22	0.38	66	X
Triple IG--LE/CL/CL Argon-Filled	0.25	0.27	0.50	65	X
Triple IG--LE/CL/CL Argon-Filled (HDL< 1" w/o internal grilles)	0.25	0.24	0.45	65	X
Triple IG--LE/CL/LE Argon-Filled	0.21	0.25	0.43	67	X
Triple IG--LE/CL/LE Argon-Filled (HDL< 1" w/o internal grilles)	0.21	0.22	0.38	67	X

Wood Arched Double Hung Sash & Frame (3/4" IG)					
Insul LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.28	0.49	55	X
Insul SPF LE/CL Argon-Filled	0.29	0.30	0.53	54	X
Insul SPF LE/CL Argon-Filled (w/GIAS or HDL< 1")	0.29	0.27	0.48	54	X
Insul Climate Control LE/CL Argon-Filled	0.29	0.29	0.53	54	X
Insul Climate Control LE/CL Argon-Filled (w/GIAS or HDL< 1")	0.29	0.26	0.47	54	X
Insul Climate Control SPF LE/CL Argon-Filled	0.29	0.28	0.52	54	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.25	0.46	54	X
Insul Super Sunblocker LE/CL Argon-Filled	0.29	0.22	0.42	55	X
Insul Super Sunblocker LE/CL Argon-Filled (w/GIAS or HDL< 1")	0.29	0.19	0.37	55	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.29	0.21	0.41	55	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (w/GIAS or HDL< 1")	0.29	0.19	0.36	55	X
Insul Cardinal 366 LE/CL Argon-Filled	0.27	0.21	0.50	60	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.27	0.19	0.44	60	X

NOTE: Triple IG Sash & Frame product will be available in January, 2010 to meet Energy Star codes in high altitude areas.

Wood Double Hung Picture (3/4" IG)					
Insul LE/CL Argon-Filled	0.29	0.29	0.52	56	X
Insul LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.26	0.46	56	X
Insul SPF LE/CL Argon-Filled	0.29	0.29	0.51	56	X
Insul SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.26	0.45	56	X
Insul Climate Control LE/CL Argon-Filled	0.29	0.28	0.51	56	X
Insul Climate Control LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.25	0.45	56	X
Insul Climate Control SPF LE/CL Argon-Filled	0.29	0.27	0.50	56	X
Insul Climate Control SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.30	0.24	0.45	56	X
Insul Super Sunblocker LE/CL Argon-Filled	0.29	0.21	0.40	56	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.19	0.36	56	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.29	0.21	0.39	56	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.19	0.35	56	X
Insul Cardinal 366 LE/CL Argon-Filled	0.28	0.21	0.47	61	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.28	0.19	0.42	61	X

Wood DH Picture (1" Triple IG -- Not Available with Internal Spacer or GIAS)					
Triple IG--LE/CL/CL Air-Filled -- Produced with capillary tubes	0.29	0.26	0.48	62	X
Triple IG--LE/CL/CL Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.29	0.24	0.43	62	X
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.25	0.24	0.41	64	X
Triple IG--LE/CL/LE Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.25	0.21	0.37	64	X
Triple IG--LE/CL/CL Argon-Filled	0.26	0.26	0.48	64	X
Triple IG--LE/CL/CL Argon-Filled (HDL< 1" w/o internal grilles)	0.26	0.23	0.43	64	X
Triple IG--LE/CL/LE Argon-Filled	0.22	0.24	0.41	64	X
Triple IG--LE/CL/LE Argon-Filled (HDL< 1" w/o internal grilles)	0.22	0.21	0.37	64	X

PRODUCT/GLAZING MAKE-UP	U-FACTOR	SHGC	VT	CR	QUALIFIES FOR TAX CREDIT
Wood Direct Set (3/4" IG)					
Insul Climate Control LE/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.30	0.55	52	X
Insul Climate Control LE SPF/CL Argon-Filled (with GIA or HDL < 1")	0.29	0.30	0.54	53	X
Insul Super Sunblocker LE/CL Argon-Filled	0.27	0.25	0.48	53	X
Insul Super Sunblocker LE/CL Argon-Filled (with GIA or HDL < 1")	0.28	0.23	0.43	52	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.27	0.25	0.48	54	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (with GIA or HDL < 1")	0.28	0.23	0.43	53	X
Insul Cardinal 366 LE/CL Argon-Filled	0.27	0.25	0.57	56	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIA or HDL < 1")	0.28	0.23	0.51	56	X

Wood Direct Set (1" Triple IG -- Not Available With Internal Spacer or GIAS)					
Triple IG--LE/CL/CL Air-Filled -- Produced with capillary tubes	0.24	0.30	0.56	63	X
Triple IG--LE/CL/CL Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.24	0.28	0.50	63	X
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.18	0.28	0.47	67	X
Triple IG--LE/CL/LE Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.18	0.26	0.42	67	X
Triple IG--LE/CL/CL Argon-Filled	0.21	0.30	0.56	65	X
Triple IG--LE/CL/CL Argon-Filled (HDL< 1" w/o internal grilles)	0.21	0.28	0.50	65	X
Triple IG--LE/CL/LE Argon-Filled	0.15	0.28	0.47	70	X
Triple IG--LE/CL/LE Argon-Filled (HDL< 1" w/o internal grilles)	0.15	0.26	0.42	70	X
NOTE: HDL in Triple IG cannot be ordered with internal spacer or GIAS					

Wood Direct Set Circle Top (3/4" IG)					
Insul Super Sunblocker LE/CL/Air w/Stainless Steel Spacer ¹ -- Produced with capillary tubes	0.30	0.25	0.47	54	X
Insul Super Sunblocker LE/CL/Air w/Stainless Steel Spacer (w/GIAS or HDL < 1") -- Produced with capillary tubes	0.30	0.23	0.42	54	X
Insul Super Sunblocker LE SPF/CL/Air w/Stainless Steel Spacer ¹ -- Produced with capillary tubes	0.30	0.24	0.46	55	X
Insul Super Sunblocker LE SPF/CL/Air w/Stainless Steel Spacer (w/GIAS or HDL < 1")--Produced w/capillary tubes	0.30	0.22	0.41	55	X
Insul Cardinal 366 LE/CL Air-Filled -- Produced with capillary tubes	0.30	0.25	0.57	56	X
Insul Cardinal 366 LE/CL Air-Filled (w/GIAS or HDL < 1") -- Produced with capillary tubes	0.30	0.22	0.50	56	X
Insul Climate Control LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.28	0.29	0.54	55	X
Insul Climate Control SPF LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.28	0.29	0.53	55	X
Insul Super Sunblocker LE/CL Argon-Filled	0.27	0.24	0.47	56	X
Insul Super Sunblocker LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.28	0.22	0.42	55	X
Insul Super Sunblocker SPF LE/CL Argon-Filled	0.27	0.24	0.46	56	X
Insul Super Sunblocker SPF LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.28	0.22	0.41	56	X
Insul Cardinal 366 LE/CL Argon-Filled	0.26	0.24	0.55	59	X
Insul Cardinal 366 LE/CL Argon-Filled (w/GIAS or HDL < 1")	0.27	0.22	0.50	59	X
¹ This product requires you to comment "w/SS Spacer"					

Wood Direct Set Circle Top (1" Triple IG -- Not Available With Internal Spacer or GIAS)					
Triple IG--LE/CL/CL Air-Filled -- Produced with capillary tubes	0.23	0.30	0.54	63	X
Triple IG--LE/CL/CL Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.23	0.27	0.49	63	X
Triple IG--LE/CL/LE Air-Filled -- Produced with capillary tubes	0.18	0.28	0.46	68	X
Triple IG--LE/CL/LE Air-Filled (HDL< 1" w/o internal grilles) -- Produced with capillary tubes	0.18	0.25	0.41	68	X
Triple IG--LE/CL/CL Argon-Filled	0.20	0.30	0.54	66	X
Triple IG--LE/CL/CL Argon-Filled (HDL< 1" w/o internal grilles)	0.20	0.27	0.49	66	X
Triple IG--LE/CL/LE Argon-Filled	0.15	0.27	0.46	71	X
Triple IG--LE/CL/LE Argon-Filled (HDL< 1" w/o internal grilles)	0.15	0.25	0.41	71	X
NOTE: HDL in Triple IG cannot be ordered with internal spacer or GIAS					

Wood Inswing Door (3/4" IG) -- Standard Inswing Door Only (French Door Version Does Not Meet U-Factor Requirement)					
Insul LE/CL Argon-Filled (Standard version only) ¹ -- Produced w/SS Spacer	0.30	0.25	0.44	60	X
Insul LE/CL Argon-Filled (w/HDL< 1" w/o internal grilles) Standard Version Only ¹ Produced w/SS Spacer	0.30	0.22	0.38	60	X
Insul LE/CL SPF Argon-Filled (Std version only) ¹ -- Produced w/SS Spacer	0.30	0.24	0.43	60	X
Insul LE/CL SPF Argon-Filled (w/HDL< 1" w/o internal grilles) Standard Version Only ¹ Produced w/SS Spacer	0.30	0.21	0.37	60	X
Insul Super Sunblocker LE/CL Argon-Filled (Standard Version Only) ¹ -- Produced w/SS Spacer	0.30	0.18	0.34	60	X
Insul Super Sunblocker LE/CL Argon-Filled (w/HDL< 1" w/o internal grilles) Std Version Only ¹ Produced w/SS Spcr	0.30	0.16	0.29	60	X
Insul Super Sunblocker LE SPF/CL Argon-Filled (Standard Version Only) ¹ -- Produced w/SS Spacer	0.30	0.17	0.33	60	X
Insul Super Sunblocker LE SPF/CL Argon-Filled (w/HDL< 1" w/o internal grilles) Std Version Only ¹ -- Produced w/SS Spcr	0.30	0.15	0.28	60	X
¹ This product requires you to choose or comment "Produce with SS Spacer and Argon"					
Note: Product produced with any GIA or HDL internal spacer bar does not meet Energy Tax Credit					